



Ubiquiti UISP-S-Plus EU | Switch | 4x 2.5 GbE RJ45 Passive PoE, 4x SFP+, 160 W, Power TransPort



link to the product:

<https://www.batna24.com/gb/p/switches/ubiquiti-uisp-s-plus-eu-switch-4x-25-gbe-rj45-passive-poe-4x-sfp-160-w-power-transport>

Price: **1,678.09 zł** gross / 1,364.30 zł net



Manufacturer: UBIQUITI

Referention number: DNXXGMMHFRMLPI



Product features

Regulatory Approvals	CE, FCC, IC
Power source	AC/DC
Height	43.7 mm
LED indicators	LAN
Wall mountable	Yes
Width	210.4 mm
Depth	170.2 mm
Input current	7.04 A
Rack mounting	Yes
Power consumption (max)	25 W
Humidity measurement range	5 - 95%
Memory type	DDR4 SDRAM
Switching capacity	100 Gb/s
Switch type	Managed
10G support	No
IFU / User manual	Yes
Flash memory	256 MB
DC input voltage	24 V
Performance	50 Gb/s
Operating temperature (T-T)	-10 °C - 50 °C
Total Power over Ethernet (PoE) budget	160 W
SFP+ module slots quantity	4

Processor frequency	1400 MHz
Power supply included	Yes
Power over Ethernet (PoE) ports quantity	4
Power over Ethernet (PoE)	Yes
Internal memory	1024 MB
Power over Ethernet (PoE) voltage	27 V
DHCP features	DHCP snooping
Processor model	ARM Cortex-A55
Processor manufacturer	ARM
Built-in processor	Yes
Power over Ethernet (PoE) type supported	Passive PoE
2.5G Ethernet (copper) ports quantity	4
Product colour	White
Power connector	AC/DC
Basic switching RJ-45 Ethernet ports type	2.5G Ethernet (100/1000/2500)
Watch case material	Acrylonitrile butadiene styrene (ABS)
Basic switching RJ-45 Ethernet ports quantity	4
Product weight	1750 g

Full product description

Ubiquiti UISP-S-PLUS-EU: Switch Ideal for WISP.


Ubiquiti **UISP-S-PLUS** is a managed switch adapted for UISP operation. **It is equipped with 4 2.5G Ethernet ports (1/2.5Gb/s) and 4 SFP slots (1/10Gb/S)**. There is a PoE (passive) power output of 27V DC on all Ethernet ports. The total **PoE power** output budget **is 160W**. The applied voltages will allow to connect to the UISP-S-Plus various types of Ubiquiti wireless devices. The total switching capacity of the switch **is 50 Gbps , and the packet forwarding speed is 74.4 Mp/s**. Using the included accessories, you can mount the device on the wall or in a 19" rack. Another advantage are the legs - you can use them if you want to put the UISP-S-Plus on a table or desk.



*When powered with the included AC/DC adapter.

The **UISP-S-PLUS-EU** provides extremely easy installation in any environment. You can mount it on a desk, wall, or in a **1U** rack. This makes it ideal for both office and professional **IT** environments. The products are made of very good materials, which guarantees **durability and reliability for a long time of use**.

Ubiquiti equipment is compatible with other devices, allowing easy integration into existing systems. As a result, you can enjoy seamless cooperation between different components of your infrastructure. By choosing our solution, you are assured that your equipment will work smoothly in any situation, even under heavy use.



There is a PoE power output on ports 1-4 (all Ethernet). The switch supports passive PoE , the voltage is applied on 2 or 4 pairs. The output voltage is 27V DC maximum power per port 20W when using 2 pairs or 40W with 4 pairs. Passive PoE still widely used in Ubiquiti wireless Devices. UISP Switch plus will work especially well in conjunction with solutions using 2.5G Ethernet ports