



Ubiquiti USW-24-POE | Switch | UniFi, 24x RJ45 1000Mb/s, 16x PoE+, 2x SFP



link to the product:

<https://www.batna24.com/gb/p/switches/ubiquiti-usw-24-poe-switch-unifi-24x-rj45-1000mb-s-16x-poe-2x-sfp>

Price: **1,691.84 zł** gross / 1,375.48 zł net



Manufacturer: UBIQUITI

Referention number: DNXXGPHLDRMLNP



Product features

Regulatory Approvals	CE, FCC, IC
Height	43.7 mm
LED indicators	Activity
Width	442.4 mm
Depth	200 mm
Rack mounting	Yes
Authentication type	IEEE 802.1x
Humidity measurement range	10 - 90%
Harmonized System (HS) code	85176990
Switching capacity	52 Gb/s
Networking standards	IEEE 802.3af
Switch type	Managed
Full duplex	Yes
Auto MDI/MDI-X	Yes
Spanning tree protocol	Yes
DC input voltage	44 V
Operating temperature (T-T)	-5 to 40 °C
VLAN support	Yes
Total Power over Ethernet (PoE) budget	92 W
Flow control support	Yes
Port mirroring	Yes
Jumbo frames support	Yes

Power supply included	Yes
Power over Ethernet (PoE)	Yes
SFP module slots quantity	2
AC input frequency	50 Hz
AC input voltage	100 V
Power over Ethernet (PoE) power per port	32 W
Power over Ethernet plus (PoE+) ports quantity	16
Product colour	Silver
Switch layer	L2+/L3
Static route	Yes
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Basic switching RJ-45 Ethernet ports quantity	24
Product weight	3000 g

Full product description

Ubiquiti USW-24-POE

USW-24-POE (unifi switch gen2) is a configurable **Gigabit Layer 2 switch with 24 ports** Gigabit Ethernet, including 16 ports for automatic **802.3at PoE+** detection and two SFP ports. Provides Gigabit PoE links to RJ45 Ethernet devices and Gigabit fiber uplink options to the enterprise network. The USW-24-POE is equipped with a **1.3-inch LCM** touch screen module that provides status information. With a 7.9" depth, the compact, fanless design can be easily installed in a SOHO rack.


Manage and configure via the UniFi network controller

Managed and configured by a UniFi network controller with support for UniFi mobile applications, **USW-24-POE** offers a wide package of advanced protocols and Layer 2 switching functions, including switching, mirroring or aggregate mode to port. The UniFi network controller and mobile application allow administrators to configure and monitor virtually all switch functions in the graphical user interface from anywhere.

The most important features:

- Management and configuration by UniFi controller
- 24x Ports 10/100/1000 RJ45 Ethernet
- 2x Ports 1G SFP Ethernet
- 1.3-inch LCM touch module
- Provides Gigabit PoE links to RJ45 Ethernet devices and Gigabit fiber uplink options to the enterprise network.

Example of implementation



Now much more than Wi-Fi

UniFi is rapidly growing to a full SDN (Software-Defined Networking) solution with seamless integration of high-performance switching