



Ubiquiti USW-48-POE | Switch | UniFi, 48x RJ45 1000Mb/s, 32x PoE+, 4x SFP



link to the product:

<https://www.batna24.com/gb/p/switches/ubiquiti-usw-48-poe-switch-unifi-48x-rj45-1000mb-s-32x-poe-4x-sfp>

Price: **2,635.88 zł** gross / 2,142.99 zł net



Manufacturer: UBIQUITI

Referention number: DNXGFQMLLRMMPI

Product features

Regulatory Approvals	CE, FCC, IC
Power source	AC/DC
Height	43.7 mm
LED indicators	Activity
Width	442.4 mm
Depth	285 mm
Rack mounting	Yes
Fanless	Yes
Power consumption (max)	45 W
Authentication type	RADIUS
Humidity measurement range	10 - 90%
Switching capacity	104 Gb/s
Networking standards	IEEE 802.1x
Switch type	Managed
10G support	No
IFU / User manual	Yes
Auto MDI/MDI-X	Yes
Spanning tree protocol	Yes
Performance	52 Gb/s
Operating temperature (T-T)	-5 to 40 °C
VLAN support	Yes
Link aggregation	Yes

Auto-sensing	Yes
Total Power over Ethernet (PoE) budget	195 W
Flow control support	Yes
Port mirroring	Yes
Jumbo frames support	Yes
Power supply included	Yes
Power over Ethernet (PoE)	Yes
SFP module slots quantity	4
AC input frequency	50 Hz
AC input voltage	100 V
Power over Ethernet (PoE) power per port	32 W
Power over Ethernet plus (PoE+) ports quantity	32
Product colour	Stainless steel
Switch layer	L2+
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Basic switching RJ-45 Ethernet ports quantity	48
Product weight	4520 g

Full product description

Ubiquiti USW-48-PoE

The USW-48-PoE (UniFi switch GEN2) is a configurable **Gigabit Layer 2** switch **with 48** Gigabit Ethernet ports, including 32 **802.3at PoE** auto-sensing ports and 4 SFP ports, that provides Gigabit PoE links to RJ45 Ethernet devices and Gigabit fiber uplink options to enterprise networks. The USW-48-PoE features a **1.3-inch LCM touchscreen** providing status information. The compact, fanless design with a depth of 7.9" allows for quick and easy installation of the unit in a SOHO rack.



Management and configuration via UniFi network controller

Managed and configured by the UniFi Network Controller with support for UniFi mobile apps, the **USW-48-POE** switch offers a broad suite of advanced Layer 2 switching protocols and features, including mode (switching, mirroring or aggregate) per port. The UniFi Network Controller and mobile app allow administrators to configure and monitor virtually all switch functions in a graphical user interface from anywhere.



Key features

- Management and configuration via UniFi Controller
- 48 x 10/100/1000 RJ45 Ethernet ports
- 4 x 1G SFP Ethernet ports
- 1.3-inch LCM touch module
- Gigabit PoE for RJ45 Ethernet devices and Gigabit fiber uplink options for enterprise networks

More than Wi-Fi

UniFi is rapidly evolving to a full SDN (Software-Defined Networking) solution with seamless integration of high-performance switching.