



Ubiquiti USW-Flex-2.5G-8-EU | Switch | 8x 2.5GbE RJ45, 1x 10GbE SFP+



link to the product:

<https://www.batna24.com/gb/p/switches/ubiquiti-usw-flex-25g-8-eu-switch-8x-25gbe-rj45-1x-10gbe-sfp>

Price: **705.64 zł** gross / 573.69 zł net



Manufacturer: UBIQUITI

Referention number: DNXXGHLJFRMLNN

Product features

Power source	PoE/USB
Height	33.5 mm
LED indicators	Activity
Wall mountable	Yes
Width	212.9 mm
Depth	99.4 mm
Input current	3.9 A
Compliance certificates	CE
Power consumption (max)	17 W
Rate limiting	Yes
Humidity measurement range	10 - 90%
DIN rail mounting	Yes
Switching capacity	60 Gb/s
Switch type	Managed
10G support	Yes
Loop protection	Yes
Number of VLANs	256
Broadcast storm control	Yes
Performance	30 Gb/s
Operating temperature (T-T)	-20 - 45 °C
VLAN support	Yes
SFP+ module slots quantity	1

Flow control support	Yes
Port mirroring	Yes
Jumbo frames support	Yes
MAC address table	4000 entries
Power supply included	No
Power over Ethernet (PoE)	No
10G Ethernet (copper) ports quantity	1
2.5G Ethernet (copper) ports quantity	8
Product colour	White
Switch layer	L2+
Multicast support	Yes
Basic switching RJ-45 Ethernet ports type	2.5G Ethernet (100/1000/2500)
Watch case material	Polycarbonate (PC)
Basic switching RJ-45 Ethernet ports quantity	8
Product weight	567 g

Full product description

High performance 2.5GbE network switch with 10G SFP port

The **Ubiquiti USW-Flex-2.5G-8-EU** is a network switch designed for users looking for a reliable solution to manage network traffic. With 8 **2.5GbE RJ45** ports and an additional **10GbE SFP** port, the device provides high throughput and high-speed data exchange capabilities. **The manageable switch** allows for easy configuration and monitoring of the entire infrastructure, and **PoE** support makes the device flexible and easy to install in various conditions.



High throughput and performance

The **Ubiquiti USW-Flex-2.5G-8-EU** switch offers **8 2.5GbE RJ45 ports**, providing a significant speed increase over traditional **Gigabit Ethernet** ports. This makes the device suitable for networks that require higher bandwidth, such as transferring large files, streaming HD video or working with applications that require fast communication. In addition, the **10GbE SFP** port enables even faster data exchange, which is ideal for more demanding network environments.




PoE power supply

The Ubiquiti USW-Flex-2.5G-8-EU supports PoE (Power over Ethernet), which allows you to power devices such as IP cameras, access points or other network devices over the same Ethernet cable. This eliminates the need to run separate power cables, simplifying installation and reducing wiring clutter. **PoE** allows devices to be powered with **42.5V to 57V DC**, giving you more flexibility depending on the needs of your devices.



Manageability and configuration

The device is **manageable** with the **UniFi Network** app for convenient network monitoring and configuration. The built-in **Ethernet In-Band** management interface provides quick access to settings and port configurations. With these features, network administrators can easily customize the switch's operation to suit their needs and have full control over network performance.



Versatile installation and compact design

The **Ubiquiti USW-Flex-2.5G-8-EU** switch is designed for flexible mounting - it can be wall-mounted or **DIN-rail** mounted (with an additional accessory). The unit's compact dimensions (212.9 x 76 x 33.5 mm) make it ideal for applications where space is limited, yet high computing power is required. Thanks to its rugged **polycarbonate** housing, the device is durable and resistant to damage.

