



Ubiquiti USW-LITE-16-POE | Switch | UniFi Gen2, 16x RJ45 1000Mb/s, 8x PoE+, 45W



link to the product:

<https://www.batna24.com/gb/p/switches/ubiquiti-usw-lite-16-poe-switch-unifi-gen2-16x-rj45-1000mb-s-8x-poe-45w>

Price: **908.10 zł** gross / 738.29 zł net



Manufacturer: UBIQUITI

Referention number: DNXXGQNJRRMMML

Product features

Regulatory Approvals	CE, FCC, IC
Height	43.7 mm
LED indicators	Network
Wall mountable	Yes
Width	191.7 mm
Depth	185 mm
Power consumption (max)	15 W
Humidity measurement range	10 - 90%
Harmonized System (HS) code	85176990
Switching capacity	16 Gb/s
Networking standards	IEEE 802.3af
10G support	No
Operating temperature (T-T)	-15 °C to 40 °C
Power supply included	Yes
Power over Ethernet (PoE) ports quantity	8
Power over Ethernet (PoE)	Yes
AC input voltage	100 V
Power over Ethernet (PoE) power per port	30 W
Product colour	White
Power connector	AC-in jack
Switch layer	L2+
Number of power supply units	1

Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Basic switching RJ-45 Ethernet ports quantity	16
Product weight	1200 g

Full product description


16-port manageable Gigabit switch

Ubiquiti USW LITE-16-POE is a fully managed **layer 2 switch with eight Gigabit Ethernet ports for RJ5 Ethernet devices**. The switch also offers automatic 802.3at PoE + detection, which provides a total PoE power of 52 W for UniFi access points or other PoE devices. **Switch with PoE power and PoE Passthrough** function is ideal for cleanly adding Ethernet ports when needed with an adapter to power the PoE device.



Non-blocking capacity

Ubiquiti USW-Lite-8-PoE switch is equipped with Gigabit Ethernet ports in a compact housing. The UniFi switch provides a total, non-blocking throughput of up to 8 Gb/s




Switching capacity

The UniFi switch offers the ability to transmit traffic to all ports simultaneously at link speed without packet loss, with switching speeds up to 16 Gb/s.



Seamless integration

The installation of a cloud-based UniFi OS Console can be managed by multiple UniFi sites in one centralized interface. Each site is logically separated and has its own network monitoring, configurations, maps, statistics and administrator accounts.



Features:

- 16 Gigabit RJ45 ports, including 8 ports 802.3at PoE +
- Managed by the UniFi OS Console (5.13.10 or higher)
- External 60 W power supply.
- Mountable on the wall