



Ubiquiti USW-PRO-24 | Switch | UniFi GEN2, 24x RJ45 1000Mb/s, 2x SFP+



link to the product:

<https://www.batna24.com/gb/p/switches/ubiquiti-usw-pro-24-switch-unifi-gen2-24x-rj45-1000mb-s-2x-sfp>

Price: **1,679.41 zł** gross / 1,365.37 zł net



Manufacturer: UBIQUITI

Referention number: DNXXGFPPRJRMNJN

Product features

Height	43.7 mm
LED indicators	Yes
Width	442.4 mm
Depth	285.4 mm
Rack mounting	Yes
Harmonized System (HS) code	85176990
Switch type	Managed
10G support	Yes
SFP+ module slots quantity	2
Power supply included	Yes
Power over Ethernet (PoE)	No
Product colour	Silver
Switch layer	L2+/L3
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Basic switching RJ-45 Ethernet ports quantity	24
Product weight	3500 g

Full product description

Ubiquiti USW-PRO-24

Switch with **24x Gigabit Ethernet ports** and **2x SFP+** 10 GB.



It offers everything necessary

UniFi Switch Pro 24 is a managed Gigabit **Layer 2 and Layer 3** switch offering a rich set of features such as routing between **VLANs**, **static routing** and a **DHCP server**. UniFi Switch Pro 24 is the ideal aggregation and access layer switch for any **UniFi** solution - it combines innovative, near-silent cooling with **UniFi SmartPower RPS** power redundancy.

Amazingly fast diagnosis, thanks to the touch-screen LCM module

The USW-Pro-24 has a **1.3-inch touch-screen LCM** module, which provides information about the status of the connections and is used for easy monitoring and quick problem solving. The compact dimensions, fanless design and included mounting brackets make it easy to install the device in a **SOHO** rack.



Can be configured from anywhere in the world

UniFi Pro Switch 24 is managed and configured by the **UniFi network controller with support for UniFi** mobile applications. The switch offers a wide range of advanced protocols and layer 3 switching functions, including operating mode (switching, mirroring or aggregation) for each port, **Inter-VLAN routing, static routing server and DHCP**. The UniFi OS Console and mobile application allow administrators to configure and monitor virtually all switch functions in the graphical user interface from anywhere.

The most important features:

- 24x Gigabit Ports RJ45
- 2x Ports 10G SFP+
- Layer 2 and Layer 3 functions
- UniFi SmartPower RPS DC input
- Near-silent cooling
- Touchscreen 1.3 "
- Managed by a UniFi network controller
- Guest portal / hotspots support