



## Ubiquiti USW-PRO-24-POE | Switch | 16x RJ45 1000Mb/s PoE+, 8x RJ45 1000Mb/s PoE++, 2x SFP+



link to the product:

<https://www.batna24.com/gb/p/switches/ubiquiti-usw-pro-24-poe-switch-16x-rj45-1000mb-s-poe-8x-rj45-1000mb-s-poe-2x-sfp>

Price: **3,080.17 zł** gross / 2,504.20 zł net



Manufacturer: UBIQUITI

Referention number: DNxGFPHLFRMLPN

### Product features

|                                  |                   |
|----------------------------------|-------------------|
| Regulatory Approvals             | CE, FCC, IC       |
| Power source                     | mains electricity |
| Height                           | 43.7 mm           |
| LED indicators                   | Activity          |
| Width                            | 442.4 mm          |
| Depth                            | 285.4 mm          |
| Packet buffer memory             | 2 MB              |
| Rack mounting                    | Yes               |
| Power consumption (max)          | 450 W             |
| Rate limiting                    | Yes               |
| Authentication type              | IEEE 802.1x       |
| Humidity measurement range       | 10 - 90%          |
| Harmonized System (HS) code      | 85176990          |
| Switching capacity               | 88 Gb/s           |
| Networking standards             | IEEE 802.3af      |
| Switch type                      | Managed           |
| 10G support                      | Yes               |
| Full duplex                      | Yes               |
| Number of VLANs                  | 1000              |
| Broadcast storm control          | Yes               |
| Operating temperature (T-T)      | -5 to 40 °C       |
| Quality of Service (QoS) support | Yes               |

|                                                   |                                |
|---------------------------------------------------|--------------------------------|
| VLAN support                                      | Yes                            |
| Link aggregation                                  | Yes                            |
| Total Power over Ethernet (PoE) budget            | 400 W                          |
| Reset button                                      | Yes                            |
| IGMP snooping                                     | Yes                            |
| SFP+ module slots quantity                        | 2                              |
| Web-based management                              | Yes                            |
| Flow control support                              | Yes                            |
| Port mirroring                                    | Yes                            |
| Jumbo frames support                              | Yes                            |
| MAC address table                                 | 16000 entries                  |
| IPv4 routes                                       | 64                             |
| Power supply included                             | Yes                            |
| Power over Ethernet (PoE)                         | Yes                            |
| Display type                                      | LCM                            |
| AC input frequency                                | 50 Hz                          |
| AC input voltage                                  | 100 V                          |
| Power over Ethernet (PoE) power per port          | 64 W                           |
| Power over Ethernet 4PPoE (PoE++ ) ports quantity | 8                              |
| System event log                                  | Yes                            |
| Power over Ethernet plus (PoE+) ports quantity    | 16                             |
| DHCP features                                     | DHCP relay                     |
| Product colour                                    | Silver                         |
| Power connector                                   | AC-in jack                     |
| Switch layer                                      | L2+/L3                         |
| Static route                                      | Yes                            |
| Number of power supply units                      | 1                              |
| Basic switching RJ-45 Ethernet ports type         | Gigabit Ethernet (10/100/1000) |
| Basic switching RJ-45 Ethernet ports quantity     | 24                             |
| Redundant power supply (RPS) support              | Yes                            |
| Product weight                                    | 4300 g                         |

## Full product description

### Ubiquiti USW-PRO-24-POE

24-port switch with **16x** PoE ports + 802.3at, **8x** PoE ports ++ 802.3bt and **2x** SFP ports + 10 GB. Efficient second generation UniFi switching.



## Expand your Ubiquiti network

Expand or build your network with **UniFi® Switch**, which is part of the Ubiquiti® UniFi Enterprise. The **UniFi PRO 24 PoE** switch is a configurable Gigabit Layer-3 switch with automatic **16x 802.3at PoE + and 8 802.3bt PoE + +** detection. UniFi PRO 24 PoE switch offers 1.3" touch screen LCM display and integrated fans for silent cooling. **LCM** displays the device status and the information necessary for a quick diagnosis.

## Can be configured from anywhere in the world

**UniFi Pro Switch 24 PoE** is managed and configured by a UniFi OS Console with support for UniFi mobile applications. The Switch offers a wide range of advanced protocols and layer 3 switching functions, including operating mode (switching, mirroring or aggregation) for each port, Inter-VLAN routing, static routing server and DHCP. **The UniFi OS Console and mobile application** allow administrators to configure and monitor virtually all switch functions in the graphical user interface from anywhere.

## The most important features:

- 24x Gigabit RJ45 ports 10/100/1000 Mb/s
- 16x PoE+ ports 802.3af/at
- 8x PoE++ 802.3bt ports
- 2x SFP+ slots
- Management and configuration by UniFi controller
- PoE+ IEEE 802.3at/af and PoE++ 802.3bt
- Switching capacity: 88 Gb/s
- Total non-blocking capacity: 44 Gb/s
- 1.3-inch LCM touch module