



Ubiquiti USW-Pro-XG-10-PoE | Switch | Etherlighting, 10x RJ45 10GbE, 2x SFP+, 400W, Layer 3



link to the product:


<https://www.batna24.com/gb/p/switches/ubiquiti-usw-pro-xg-10-poe-switch-etherlighting-10x-rj45-10gbe-2x-sfp-400w-layer-3>

Price: **3,162.28 zł** gross / 2,570.96 zł net



Manufacturer: UBIQUITI

Referention number: DNXXGHJIOIRMMIP



Product features


Power source	AC/DC
Height	44 mm
LED indicators	System
Width	442.4 mm
Depth	285 mm
Backlight display	Yes
Virtual LAN features	Interface-based VLAN
Packet buffer memory	2 MB
Cables included	Power
Rack mounting	Yes
Compliance certificates	CE
Power consumption (max)	520 W
Rate limiting	Yes
Humidity measurement range	10 - 90%
Switching capacity	240 Gb/s
Switch type	Managed
10G support	Yes
Loop protection	Yes
IFU / User manual	Yes
Number of VLANs	1000
Broadcast storm control	Yes
Performance	120 Gb/s

Operating temperature (T-T)	-5 - 40 °C
Quality of Service (QoS) support	Yes
Rack mount kit	Yes
VLAN support	Yes
Total Power over Ethernet (PoE) budget	400 W
Reset button	Yes
IGMP snooping	Yes
SFP+ module slots quantity	2
Flow control support	Yes
Port mirroring	Yes
Jumbo frames support	Yes
MAC address table	32000 entries
IPv4 routes	12000
Power supply included	Yes
Power over Ethernet (PoE)	Yes
Display type	LCM
AC input frequency	50 Hz
AC input voltage	100 V
Power over Ethernet (PoE) power per port	15.4 W
DHCP features	DHCP guarding
Power over Ethernet (PoE) type supported	PoE++ (4PPoE)
10G Ethernet (copper) ports quantity	10
Product colour	Grey
Power connector	AC/DC
Switch layer	L2+/L3
Multicast support	Yes
Static route	Yes
Basic switching RJ-45 Ethernet ports type	10G Ethernet (100/1000/10000)
Watch case material	SGCC
Basic switching RJ-45 Ethernet ports quantity	10
Stackable	Yes
Redundant power supply (RPS) support	Yes
Product weight	4600 g

Full product description


Ubiquiti USW-Pro-XG-10-PoE: Powerful Switch for the Discerning.

The USW-Pro-XG-10-PoE is a powerful **managed switch** from Ubiquiti Networks designed for demanding users and professionals who need a reliable network infrastructure. With **Power over Ethernet (PoE)** support and **gigabit data transfer** capabilities, it is the perfect solution for extended networks. Ubiquiti's **UniFi Series switch** provides **high-performance connections**, supporting **Layer 3** standards for advanced network traffic management.




Performance and throughput

The Ubiquiti USW-Pro-XG-10-PoE offers a bandwidth of **240 Gbps** and **non-blocking transfer of up to 120 Gbps** for fast data transfer. With **10 GbE RJ45** and **SFP 2 ports**, the device provides **wide compatibility** with various network devices. The device's **increased capacity** allows it to efficiently manage a large number of connections, which is invaluable in high-traffic network environments.




PoE support

The **10 PoE ports** allow you to power devices without the need for additional power cables. The Ubiquiti USW-Pro-XG-10-PoE supports a maximum PoE power of **90W per port**, which is enough to power the most demanding devices. With **PoE power management**, you can easily control which devices receive power, giving you more flexibility in managing your network.



Advanced Layer 3 features

The Ubiquiti USW-Pro-XG-10-PoE supports **Layer 3 features** such as **inter-VLAN routing**, **DHCP servers** and **static routing**, giving users advanced configuration options. The device allows users to **create local networks** with the ability to split them into different zones with full control over traffic. Support for a large number of IPv4 routes (12,000) and 12,000 ARP entries enables **efficient operation of extended networks**.



*Requires UniFi RPS.

Management flexibility

The switch offers **management via a web interface** and **LCD touchscreen display**, allowing easy configuration and monitoring of the device. It also supports advanced protection features such as **ESD surge protection**, **port mirroring** and **QoS**. **The manageable switch**, combined with **Etherlighting™**, makes the device **efficient and flexible** in operation, and provides full control over the network.

