



Ubiquiti UVC-G6-Pro-Bullet-W | IP Camera | 4K 30fps, 1x GbE PoE+, IP66



link to the product:

<https://www.batna24.com/gb/p/ip-cameras/ubiquiti-uvc-g6-pro-bullet-w-ip-camera-4k-30fps-1x-gbe-poe-ip66>

Price: **2,016.79 zł** gross / 1,639.67 zł net



Manufacturer: UBIQUITI

Referention number: DNXXGJOQNJRNMIM

Information:

Ubiquiti UVC-G6-Pro-Bullet-W is an advanced 4K 30 fps IP camera, providing exceptionally detailed images day and night. Thanks to IR LED, it can see up to 30 m, and AI functions recognise faces, number plates, as well as people, vehicles and animals, reducing false alarms. The IP66 housing guarantees resistance to dust, water and harsh weather conditions, while the wide operating temperature range allows installation indoors and outdoors. PoE+ power makes installation easier with a single cable, and the wide viewing angle and 2,36x optical zoom increase the effectiveness of monitoring.

Product features


Sensor type	CMOS
Connectivity technology	Wired
Maximum resolution	3840 pixels
Mounting kit	Yes
Compliance certificates	CE
Audio system	2-way
Frame rate	30 frames per second
Noise reduction	Yes
Power consumption (max)	15 W
Night mode	Yes
Humidity measurement range	0 - 90%
Light sensor	Yes
Ethernet LAN (RJ-45) ports	1
IK code	IK04
DC output voltage	37

Number of cameras	1
IFU / User manual	Yes
Optical zoom	2.36 zoom factor
Weatherproof	Yes
Image quality adjustment	Brightness
Operating temperature (T-T)	-20 - 50 °C
LED type	IR
Minimum aperture number	1.5
Maximum aperture number	2.9
Ethernet interface type	Gigabit Ethernet
Privacy masking	Yes
Reset button	Yes
Text caption overlay	Yes
Screws included	Yes
Card reader integrated	Yes
Built-in microphone	Yes
Number of microphones	2
Lens viewing angle, diagonal	52 °
Total megapixels	8 MP
Noise reducing technology	2D noise reduction
Length	210 mm
Compatible memory cards	MicroSD (TransFlash)
International Protection (IP) code	IP66
Human and vehicle targets classification	Yes
Day/night mode	Yes
Infrared (IR) cut-off filter	Yes
Wi-Fi	No
Bluetooth	No
Ethernet LAN	Yes
Built-in speaker(s)	Yes
Built-in HDD	No
Processor model	ARM Cortex-A53
Zoom capability	Yes
Power source type	PoE
Built-in processor	Yes
Night vision distance	40 m
License plate recognition	Yes
Product colour	White
Mounting hardware type	Ceiling/Wall/Pole
Watch case material	Aluminium
Type	IP security camera
Diameter	85.8 mm
Designation	Indoor & outdoor
Product weight	755 g

Full product description

Ubiquiti UVC-G6-Pro-Bullet-W - 4K camera that delivers security and image quality at the highest level

The Ubiquiti UVC-G6-Pro-Bullet-W camera is a **high-quality IP camera** that provides **4K resolution** at 30 frames per second. Thanks to **PoE+** (Power over Ethernet) technology, the device is easy to install and does not require additional power sources. The built-in **IP66 housing** means the camera works perfectly both **indoors** and **outdoors**, offering exceptional resistance to harsh weather conditions.




High 4K image quality

The Ubiquiti UVC-G6-Pro-Bullet-W camera offers **4K resolution** (3840 x 2160), which ensures exceptional image quality both day and night. Thanks to this resolution, every detail is clearly visible, which is crucial in surveillance systems requiring precise capture of details. Built-in **IR LED** (infrared lighting) enables recording in the dark, providing excellent visibility **up to 30 m**.



Intelligent AI features

The camera uses **artificial intelligence features** (AI), such as face recognition, licence plate recognition and **detection of people, vehicles and animals**. These advanced technologies enable precise monitoring while minimising the number of false alarms. Thanks to AI, the camera can also provide more accurate notifications, which increases the efficiency of the **surveillance** system.




High resistance to weather conditions

The camera has an **IP66 housing**, which provides **resistance to dust and water**. This means it can be successfully mounted outdoors, where it will operate reliably in harsh weather conditions – rain, snow or frost. In addition, the camera withstands a wide temperature range from **-20°C to 50°C**, allowing it to be used in various environments.



Simple installation thanks to PoE+

PoE+ (Power over Ethernet) is a feature that enables power supply and data transmission through a single Ethernet cable. This makes camera installation simple and convenient, without the need for additional power cables. Power via PoE+ means that **the camera is easy to install in various locations**, both indoors and outdoors, without the need for separate power sources



Wide viewing angle and optical zoom

The camera offers a **wide viewing angle** with H: 113.8°, V: 61.9°, D: 134°, allowing large areas to be monitored from a single position. In addition, the **2.36x optical zoom** function enables a closer view of selected areas, which is particularly useful in situations requiring a more detailed view of distant places. This makes the camera more versatile and effective in various monitoring applications.

