



EXTRALINK DRABINA PRZEGUBOWA LAD4X4MP 4X4, 4,65 M (+PLATFORMA)



link to the product:

<https://www.batna24.com/gb/p/ladders/extralink-drabina-przegubowa-lad4x4mp-4x4-465-m-platforma>

Price: **988.34 zł** gross / 803.53 zł net

Manufacturer: EXTRALINK



Referention number: DNXGHIPMHRMMKN

Information:

Extralink LAD4X4MP is an aluminium modular ladder with an attached work platform, ideal for painting, assembly, renovation and finishing work. The articulated design of four segments allows it to be set up as a leaning ladder, a free-standing ladder or adapted for use on stairs. When extended, it reaches a height of up to 4.65 m, and when folded it is approx. 122 cm, making storage and transport easier. Stability is ensured by anti-slip elements, wide bases and a robust aluminium construction with a load capacity of up to 150 kg. Compliance with EN 131 confirms safe use.

Full product description

Convenient working platform

Extralink LAD4X4MP is an aluminium modular ladder with an attached platform that can be used for painting, installation work and home renovations. The platform configuration creates an extended working surface and makes it easier to carry out tasks covering a wider section of the wall. The hinged design allows the arrangement of the four segments to be adjusted to suit the planned job.



Support for various tasks

The modular design means that one ladder can support many jobs indoors and outdoors. The platform configuration is useful, among other things, when painting walls, maintaining wooden structures and carrying out finishing work. The ability to change the position of the segments reduces the need to use several ladders intended for separate applications.



Compact when folded

After the work is finished, the ladder can be folded down to a length of around 122 cm, which makes it easier to store in a garage, workshop or utility room. A weight of 13.3 kg helps when carrying it between workstations and loading it into a car. The folding platform also takes up little space, so the whole set can be stored conveniently.



Working reach up to 4.65 m

When extended in leaning configuration, the ladder reaches a height of up to 4.65 m, allowing access to high parts of the building. This setup is useful when cleaning gutters, maintaining façades and carrying out installation work. The aluminium construction combines a high working height with easier transport of the whole ladder.



Ability to work on stairs

The hinged joints make it possible to change the position of individual segments and adapt the structure to uneven ground levels. Proper ladder positioning helps when painting stairwells, installing lighting or carrying out other work in hard-to-reach places. Before starting work, all hinges should be locked and the stability of the setup checked.



Stable aluminium construction

The ladder can be set up as a free-standing structure that does not need to be leaned against a wall. Anti-slip elements and widely spaced bases help maintain stability during use, while the maximum permitted load is 150 kg. Compliance with EN 131 confirms that the construction and safety requirements for ladders are met.

