



Yealink SIP-T31G | VoIP Phone | 2x RJ45 1000Mb/s, screen, PoE



link to the product:

[https://www.batna24.com/gb/p/voip/yealink-sip-t31g-voip-phone-2x-rj45-1000mb-s-scr-
een-poe](https://www.batna24.com/gb/p/voip/yealink-sip-t31g-voip-phone-2x-rj45-1000mb-s-scr-
een-poe)

Price: **269.23 zł** gross / 218.89 zł net

Yealink

Manufacturer: YEALINK

Referention number: DNXGFQQJGRMMLP

Product features

Product type	IP Phone
Call history	Yes
Height	162 mm
Panel type	LCD
Wall mountable	No
Width	188 mm
Depth	189 mm
Number of VoIP accounts	2
Backlight display	Yes
Resolution	132 pixels
Mounting kit	Yes
Microphone mute	Yes
Call forwarding	Yes
SIP registrar server	Yes
Lines quantity	2 lines
Compliance certificates	REACH
Power consumption (typical)	3 W
Humidity measurement range	10 - 95%
Packet loss concealment (PLC)	Yes
Call waiting	Yes
Harmonized System (HS) code	85171800
Ethernet LAN interface type	Gigabit Ethernet

Speed dialling	Yes
Touchscreen	No
Call divert	Yes
Quick start guide	Yes
Networking standards	IEEE 802.1p
Ethernet LAN (RJ-45) ports	2
Ethernet cable	Yes
Handset	Yes
Full duplex	Yes
DC-in jack	Yes
Plug and Play	Yes
Operating temperature (T-T)	-10 - 50 °C
Comfort noise generation (CNG)	Yes
Package depth	210 mm
Anonymous call	Yes
Anonymous call rejection	Yes
Package height	103 mm
Package width	213 mm
Call return	Yes
Quality of Service (QoS) support	Yes
Call hold	Yes
Mounting	Desk/Wall
RJ-9 ports quantity	2
Display diagonal	2.3 "
Voice codecs	AGC
Conference call	Yes
Power over Ethernet (PoE)	Yes
Wi-Fi	No
Bluetooth	No
Ethernet LAN	Yes
AC adapter input voltage	100 V
Redialing	Yes
AC adapter output current	0.6 A
AC adapter output voltage	5 V
Product colour	Grey
DHCP client	Yes
Handset type	Wired handset
Answering machine	Yes
Phonebook capacity	1000 entries
Caller ID	Yes
Speakerphone	Yes
Sustainability compliance	Yes

Full product description

Yealink SIP-T31G is a basic IP Phone with 2 lines and HD-voice

Yealink 's new **SIP-T31g** elevates entry-level IP phones to a level never before achieved. Taking full advantage of high-quality **materials**, as well as an **extra-large** 132 x 64 pixel **graphic LCD** display with a crisp **5-line** data display, the Yealink Phone delivers a smoother user experience, much more visual information, and **HD Voice** features. Meanwhile, Dual-port Gigabit Ethernet with integrated PoE makes the T31G

an ideal choice for extended network usage. The SIP-T31G supports dual VoIP accounts, simple, flexible and secure installation options, as well as **IPv6**, **Open VPN** and a backup server. It also works with SRTP / HTTPS/ TLS, 802.1 x. As a highly **cost-effective** and efficient IP solution, the T31 maximizes productivity in both small and large office environments.



HD Audio and improved call management

"**Yealink HD Voice**" is a combination of software and hardware design, and the introduction of wideband technology to **maximize acoustic performance**. Combined with advanced audio clarity technology such as full duplex, ECHA elimination, adaptive jitter buffer, etc., SIP-T31G provides clearer and more **realistic voice communication**.

The SIP-T31G supports extensive productivity features such as XML browser, call parking, call capture, **BLF**, call forwarding, five-way conferencing, making it **an ideal productivity tool** for today's busy small and large offices.



Main features and benefits of Yealink SIP-T31G

- Yealink HD Voice
- 2.3 " LCD graphic display with 132x64 pixel resolution with backlight
- Two-port Gigabit Ethernet
- PoE support
- Opus codec support
- Up to 2 SIP accounts
- Headset operation
- Wall mounting
- Simple, flexible and secure assurance options