



Yealink SIP-T33G | VoIP Phone | 2x RJ45 1000Mb/s, screen, PoE



link to the product:

[https://www.batna24.com/gb/p/voip/yealink-sip-t33g-voip-phone-2x-rj45-1000mb-s-scr-
een-poe](https://www.batna24.com/gb/p/voip/yealink-sip-t33g-voip-phone-2x-rj45-1000mb-s-scr-
een-poe)

Price: **402.49 zł** gross / 327.23 zł net

Yealink

Manufacturer: YEALINK

Referention number: DNXXGQQJFRMMKQ

Product features

Regulatory Approvals	CE, FCC, REACH, RoHS
Product type	IP Phone
Call history	Yes
Height	146 mm
Panel type	LED
Wall mountable	Yes
Width	212 mm
Depth	186 mm
Number of VoIP accounts	4
Backlight display	Yes
Resolution	320 pixels
Microphone mute	Yes
Call forwarding	Yes
Input current	0.6 A
WAN connection type	RJ-45
Lines quantity	4 lines
Cables included	LAN (RJ-45)
Syslog	Yes
Export Control Classification Number (ECCN)	EAR99
Package weight	10520 g
Power consumption (typical)	3 W
Humidity measurement range	10 - 95%

Call waiting	Yes
Harmonized System (HS) code	85171800
Ethernet LAN interface type	Gigabit Ethernet
Speed dialling	Yes
Touchscreen	No
Call divert	Yes
Base station	Yes
Networking standards	IEEE 802.1x
Ethernet LAN (RJ-45) ports	2
Headphone outputs	1
Headset connectivity	RJ-9
Operating temperature (T-T)	-10 - 50 °C
Anonymous call	Yes
Anonymous call rejection	Yes
Call return	Yes
Quality of Service (QoS) support	Yes
Call hold	Yes
Supported network protocols	HTTP/HTTPS, IPv6, LLDP/CDP/DHCP VLAN, ICE
RJ-9 ports quantity	2
Display diagonal	2.4 "
Voice codecs	AGC
Conference call	Yes
Power over Ethernet (PoE)	Yes
Ethernet LAN	Yes
Adjustable volume	Buttons
AC adapter input voltage	100 V
Redialing	Yes
AC adapter output voltage	5 V
Product colour	Grey
Short Message Service (SMS)	Yes
DHCP client	Yes
Handset type	Wired handset
Phonebook capacity	1000 entries
Caller ID	Yes
Speakerphone	Yes
Product weight	9560 g

Full product description

Yealink SIP-T33G is a basic IP Phone with 4 lines and HD-voice

Yealink 's new **SIP-T33G** takes entry-level IP phones to a level never before achieved. Taking full advantage of high-quality **materials**, as well as an **extra-large** 320 x 240 pixel **color graphic display** with a crisp **6-line** data display, the Yealink Phone delivers a smoother user experience, much more visual information, and **HD Voice** features. PoE makes the T33G an ideal choice for advanced networking applications. The SIP-T33G supports four VoIP accounts, simple, flexible and secure installation options, as well as **IPv6**, **Open VPN** and a backup server. It also works with SRTP/HTTPS/TLS, 802.1 x. As a highly **cost-effective** and efficient IP solution, the T31 maximizes productivity, both in small and large office environments.



HD Audio and improved call management

"**Yealink HD Voice**" is a combination of software and hardware design, and the introduction of wideband technology to **maximize acoustic performance**. Combined with advanced audio clarity technology such as full duplex, ECHA elimination, adaptive jitter buffer, etc., SIP-T33G provides clearer and more **realistic voice communication**. SIP-T33G supports extensive productivity features such as XML browser, call parking, call capture, **BLF**, call forwarding, five-way conferencing, making it **an ideal** productivity **tool** for today's busy small and large offices.



Main features and benefits of Yealink SIP-T33G

- Yealink HD Voice
- 2.4-inch colour display with 320 x 240 pixel resolution with backlight
- Two-port Gigabit Ethernet
- PoE support
- Opus codec support
- Up to 4 SIP accounts
- Headset operation
- Wall mounting
- Simple, flexible and secure assurance options