



**Cambium cnWave V3000
Client Node Radio | CPE |
60GHz, 1x RJ45 10Gb/s PoE In,
1x RJ45 1000Mb/s PoE Out, 1x
SFP+**



5 907207 220680 >

link to the product:

<https://www.batna24.com/gb/p/radio-lines/cambium-cnwave-v3000-client-node-radio-cpe-60ghz-1x-rj45-10gb-s-poe-in-1x-rj45-1000mb-s-poe-out-1x-sfp>

Price: **3,783.78 zł** gross / 3,076.24 zł net



Cambium Networks™

Manufacturer: CAMBIUM

Referention number: DNXGGHNOKRMMML

Full product description

Cambium cnWave V3000 for longer distances and higher speeds

The **Cambium Networks cnWave V3000** solution provides simple, **fast and cost-effective** gigabit wireless connectivity for edge access solutions and/or high-bandwidth backhaul for edge access solutions at a much **lower cost of ownership** than fiber infrastructure. Service providers and enterprises now have access to gigabit connectivity for business and residential customers, backhaul for Wi-Fi access or **LTE/5G** small cells . Certified for **Facebook Terragraph**, cnWave solutions are highly efficient for high-density urban and suburban deployments.



Convenient power supply and fast data transfer

Cambium cnWave V3000 devices are powered by **802.3at Power over Ethernet** and support download and upload speeds of up to **7.6 Gbps**. In addition to a **10 Gigabit Ethernet** port and a 1 Gigabit Ethernet port, an **SFP port** is available .



Manage Cambium V3000 locally and in the cloud

60 GHz cnWave works with the **cnMaestro** management system **from Cambium Networks**. The cnMaestro™ system is a local or cloud-based software platform that provides secure and comprehensive network management. The **cnMaestro Wireless Network** Control Panel simplifies device management by providing complete network visibility and the ability to operate without assistance. We have the ability to view and perform a range of wireless network management functions in **real-time**.



Main features

- Supports 57 to 66 GHz
- Up to 7.6 Gb/s (3.8 Gb/s UL and 3.8 Gb/s DL) with channel bonding
- Easy installation with automatic beam forming
- Low latency < 1 ms
- Terragraph Certified 802.11ay technology