



D-LINK DGS-1100-08V2/E | Switch | 8x RJ45 1000Mb/s



link to the product:

<https://www.batna24.com/gb/p/switches/d-link-dgs-1100-08v2-e-switch-8x-rj45-1000mb-s>

Price: **175.00 zł** gross / 142.28 zł net



D-Link

Manufacturer: D-LINK

Referention number: DNXXGGHJJGRMLLK

Product features

Storage relative humidity (H-H)	0 - 95%
Power source	mains electricity
Height	82 mm
Width	145 mm
Depth	28 mm
Packet buffer memory	1.5 MB
Input current	1 A
Storage temperature (T-T)	-40 to 70 °C
Rack mounting	No
Fanless	Yes
Power consumption (max)	4.94 W
Humidity measurement range	0 - 90%
Switching capacity	16 Gb/s
Switch type	Managed
Auto MDI/MDI-X	Yes
DC input voltage	5 V
Operating temperature (T-T)	0 - 40 °C
Operating altitude	0 m
Quality of Service (QoS) support	Yes
Reset button	Yes
Web-based management	Yes
Jumbo frames	9216

Jumbo frames support	Yes
MAC address table	4000 entries
Power over Ethernet (PoE)	No
AC input frequency	50 Hz
AC input voltage	100 V
Copper ethernet cabling technology	1000BASE-T
Product colour	Black
Switch layer	L2+
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Basic switching RJ-45 Ethernet ports quantity	8
Product weight	340 g


Full product description

Affordable solution for environments that require simple network management

The DGS-1100 Series (V2) is a series of highly affordable intelligent managed switches designed to meet the requirements of small, medium and large businesses. Advanced management features, bandwidth management, diagnostic and troubleshooting tools, and energy-efficient technologies provide a flexible solution to meet your network requirements.

Features D-LINK DGS-1100-08V2/E

- 8 Gigabit ports
- Energy saving features
- Silent operation
- Easy to manage
- IGMP Snooping
- VLAN




Features to enhance security and ease the deployment of IP surveillance

The DGS-1100 Series (V2) is equipped with advanced security features such as **Static MAC**, **Storm Control** and **IGMP Snooping** to help businesses protect their network. These switches are also ideal for deploying **IP** surveillance with **Surveillance VLAN** support, which gives high priority to surveillance traffic to mitigate interference and guarantee video recording quality.



Easy to configure, easy to manage

The free downloadable **D-Link Network Assistant** makes setup quick and easy by discovering all D-Link Smart Switches on the same Layer 2 network, allowing you to resolve IP conflicts, batch configure and update multiple switches. **Web-based** configuration allows network administrators to manage the switch in-depth.



Energy saving and quiet operation

D-Link Green Technology allows the DGS-1100 series to save energy without sacrifice. Most of the devices in this family have a **fanless design** for quiet, energy-efficient operation. All devices are **IEEE 802.3az** compliant and feature **link-state detection and Time-Based PoE** (except the DGS-1100-05PD and DGS-1100-08P).

