

No image
available

Dell U2723QE 27" | Monitor | 4K IPS HDMI DP USB-C Hub RJ-45



link to the product:

<https://www.batna24.com/gb/p/monitors/dell-u2723qe-27-monitor-4k-ips-hdmi-dp-usb-c-hub-rj-45>

Price: **2,599.00 zł** gross / 2,113.01 zł net



Manufacturer: DELL

Referention number: DNXXGLQQFRMMOH

Product features

Storage relative humidity (H-H)	5 - 90%
Non-operating altitude	0 - 12192 m
Response time	8 ms
Panel type	IPS
Maximum resolution	3840 pixels
VESA mounting	Yes
Screen shape	Flat
DCI-P3 coverage	98
High Dynamic Range (HDR) supported	Yes
sRGB coverage (typical)	100 %
Maximum refresh rate	60 Hz
Total carbon footprint (kg of CO2e)	815
HDMI	Yes
Resolution	3840 pixels
Power management	Yes
Heat dissipation (typical)	98.27 British thermal unit per hour
Input current	2.7 A
HDCP	Yes
Display diagonal (metric)	68.47 cm
Storage temperature (T-T)	-20 °C - 60 °C
Cables included	AC
Compliance certificates	RoHS

Display technology	LCD
Power supply type	Internal
Power consumption (max)	220 W
Compliance industry standards	ENERGY STAR certified Monitor. EPEAT registered where applicable. TCO Certified & TCO Certified Edge. RoHS Compliant. BFR/PVC Free monitor Meets NFPA 99 leakage current requirements. Arsenic-Free glass and Mercury-Free for the panel only.
Display number of colours	1.07 billion colours
Package weight	9530 g
European Product Registry for Energy Labelling (EPREL) code	955176
Heavy metals free	Hg (mercury)
Power consumption (typical)	25.9 W
Humidity measurement range	10 – 80%
Horizontal scan range	15 kHz
Stand weight	1790 g
AMD FreeSync	No
Harmonized System (HS) code	85285210
Low Blue Light technology	Yes
Touchscreen	No
Quick start guide	Yes
USB Power Delivery (USB PD)	Yes
Pixel density	163.18 ppi
Tilt adjustment	Yes
Backlight type	LED
Headphone outputs	1
NVIDIA G-SYNC	No
Power consumption (off)	0.2 W
Headphone out	Yes
Power consumption (standby)	0.3 W
Headphone connectivity	3.5 mm
Plug and Play	Yes
Operating temperature (T-T)	0 – 40 °C
On Screen Display (OSD)	Yes
Vertical scan range	23 Hz
Weight (with stand)	6270 g
Operating altitude	0 m
Stand included	Yes
Sustainability certificates	ENERGY STAR
Doesn't contain	Arsenic
Audio output	Yes
Cable lock slot	Yes
Built-in camera	No
Swivel angle range	-45 °
Energy consumption (HDR) per 1000 hours	38 kWh
Energy consumption (SDR) per 1000 hours	26 kWh

Display diagonal	27 "
Energy efficiency class (HDR)	G
Energy efficiency class (SDR)	F
Picture-by-Picture (PbP)	Yes
Height adjustment	Yes
Height (with stand)	385.18 mm
RJ-45 ports quantity	1
Contrast ratio (typical)	2000:1
Energy efficiency scale	A to G
Depth (with stand)	185 mm
Wi-Fi	No
Width (with stand)	611.44 mm
AC input frequency	50 Hz
AC input voltage	100 V
Built-in speaker(s)	No
Anti-glare screen	Yes
HDMI ports quantity	1
Native aspect ratio	16:9
Supported video modes	1080i
DisplayPorts quantity	2
HDMI version	2.0
HD type	4K Ultra HD
Market positioning	Office
Tilt angle range	-5 °
Product colour	Silver
USB Power Delivery up to	90 W
PAIA version	1.3.0, 2021
Carbon emissions, end-of-life (kg of CO2e)	5.35
Carbon emissions, energy usage (kg of CO2e)	313
Carbon emissions, logistics (kg of CO2e)	85.3
Carbon emissions, manufacturing (kg of CO2e)	411.27
Total carbon emissions, standard deviation (kg of CO2e)	203
Swivelling	Yes
Bezel width (bottom)	10 mm
Pivot angle	-90 °
Bezel width (top)	7.35 mm
Bezel width (side)	7.35 mm
Pivot	Yes
Adjustable height (max)	150 mm
Weight (without stand)	4480 g
Height (without stand)	353.01 mm
Depth (without stand)	54.33 mm
Width (without stand)	611.44 mm
Panel mounting interface	100 mm
Colour gamut standard	sRGB
Viewing angle, vertical	178 °
Viewing angle, horizontal	178 °

Response time (fast)	5 ms
Surface hardness	3H
DDC/CI	Yes
Feet colour	Silver
Front bezel colour	Black
USB Type-A downstream ports quantity	5
Number of USB Type-C upstream ports quantity	1
Number of upstream ports	2
USB upstream port type	USB Type-C
Display brightness (typical)	400 cd/m2
USB hub version	3.2 Gen 2 (3.1 Gen 2)
Flicker-free technology	Yes
Viewable size, horizontal	596.74 mm
Viewable size, vertical	335.66 mm
Built-in USB hub	Yes