



Extralink 22U 600x600 Black | Rackmount cabinet | standing



link to the product:

<https://www.batna24.com/gb/p/rack-cabinets/extralink-22u-600x600-black-rackmount-cabinet-standing>

Price: **1,349.00 zł** gross / 1,096.75 zł net

Manufacturer: EXTRALINK



Referention number: DNXGFNKSERMMLJ

Information:

Extralink 22U is a robust floor-standing rack cabinet for server rooms, offices and CCTV systems, made from durable cold-rolled steel. It offers a height of 1110 mm, a depth of 600 mm and a load capacity of up to 1000 kg, providing a secure place for network and server equipment. The glazed, tempered-glass doors with a lock can be opened to the left or right, and the removable side panels make servicing easier. Adjustable feet and heavy-duty castors improve positioning convenience, while adjustable cable entry points and the option to install fans help maintain order and optimal cooling.

Product features

Height	1100 mm
Width	600 mm
Depth	600 mm
Key lock	Yes
Rack rails	Yes
IFU / User manual	Yes
Material	Stainless steel
Colour	Black
Rack capacity	22U
Maximum weight	600 kg
Size (imperial)	19 "
Adjustable feet	Yes
Side panel key lock	Yes

Front door key lock	Yes
Back door key lock	No
Side panels included	Yes
Removable side panels	Yes
Removable front door	Yes
Removable back door	No
Front door construction	Glass
Back door construction	Metal
Product colour	Black
Frame type	Closed
Type	Freestanding rack

Full product description

EXTRALINK 22U 600 x 600 standing rack cabinet

The Extralink rack cabinet is designed for offices, network server rooms and CCTV control rooms. The external walls are made of cold-rolled steel sheet, while the front door has a tempered glass pane with the possibility of opening to the left or right side.

Extralink network cabinet 22HE – upright installation



The network cupboard is designed in offices, network servers and CCTV control rooms.



The outer walls are made of cold-rolled sheet steel.



Fitted with tempered glass, the front door may be opened to the left or right.



Clearly marked height

The vertical rails have a height marking that is as high as **22U (unit)**, which provides sufficient space for the installation of many devices for our infrastructure. The total height of the cabinet is **110 cm**.

NETWORK CUPBOARD

floor standing

22U 19"

Maximum
weight



1110mm

600mm

600mm

Easy removal of side walls

Snap fasteners on the side walls allow for their disassembly. **Locks and keys are included.**

Extralink has accessories for its cabinet series, you can find in our range:

- shelves, enclosures, cable organisers
- cooling accessories, ventilation panels, thermostats
- assembly aids



Easy cable routing

The lower panel has as many as **5 culverts** to pull out the cables, thus reducing the risk of squeezing or tangling.

NETWORK CABINET 22HE

Removable side panels for easy maintenance



Front and rear doors



Adjustable cable entry dimensions for top cover and base plate



Side panel and front door key lock



Front door with small tempered glass lock



Adjustable feet, durable castors



Door can be opened to the left and right

Ceiling with ventilation hole

On the ceiling, in addition to the ventilation outlet, there are **2 culverts** for cable extraction.

Il compito delle coperture di rete è quello di proteggere le apparecchiature, garantire un funzionamento stabile e mantenere l'ordine in ogni ambito.



Features

- Front and rear doors
- Tempered glass front door with small lock
- Can be opened to the left or right side
- Excellent design with precise dimensions and craftsmanship
- Adjustable feet and heavy duty casters are available simultaneously
- Cable entry for top cover and bottom plate with adjustable dimensions
- Efficient and reliable body connection with the baying kit
- Removable side panels for easy maintenance