



Extralink 22U 600x800 Black | Rackmount cabinet | standing



link to the product:

<https://www.batna24.com/gb/p/rack-cabinets/extralink-22u-600x800-black-rackmount-cabinet-standing>

Price: **1,499.00 zł** gross / 1,218.70 zł net

Manufacturer: EXTRALINK



Referention number: DNXGFNKSFRMMMI

Information:

The EXTRALINK 22U 600×800 standing rack cabinet is a robust solution for offices, server rooms and CCTV installations. Made of cold-rolled steel, it ensures durability and an attractive finish. The front doors made of tempered glass can be opened to the left or right, and the removable side panels make installation and servicing easier. The 22U height provides plenty of space for equipment, and clear markings make organisation easier. The cabinet offers convenient cable management thanks to grommets in the top and bottom panels, as well as ventilation in the roof. Adjustable feet and heavy-duty castors increase functionality and mobility.

Product features

Height	1100 mm
Width	600 mm
Depth	800 mm
Built-in UPS	No
Temperature sensor	No
Key lock	Yes
Rack rails	Yes
Material	Glass
Colour	Black
Rack capacity	22U
Maximum weight	726 kg
Size (imperial)	19 "
Screws included	Yes

Nuts included	Yes
Soundproof	No
Side panel key lock	Yes
Front door key lock	Yes
Back door key lock	Yes
Side panels included	Yes
Removable side panels	Yes
Removable front door	Yes
Removable back door	Yes
Side panel construction	Metal
Front door construction	Glass
Back door construction	Steel
Product colour	Black
Frame type	Open
Type	Freestanding rack
Baby unit batteries included	No

Full product description

EXTRALINK 22U 600X800 standing rack cabinet

The Extralink rack cabinet is designed for offices, network server rooms and CCTV control rooms. The external walls are made of cold rolled steel sheet, while the front door has a tempered glass pane with the possibility of opening to the left or right side.

Extralink network cabinet 22HE – upright installation



The network cupboard is designed in offices, network servers and CCTV control rooms.



The outer walls are made of cold-rolled sheet steel.



Fitted with tempered glass, the front door may be opened to the left or right.



Clearly marked cabinet height

The vertical rails have a height marking that is as high as **22U (unit)**, which provides sufficient space for the installation of many devices for our infrastructure. The total height of the cabinet is **110 cm**.

NETWORK CUPBOARD

floor standing

22U 19"

Maximum
weight



1110mm

800mm

600mm

Easy disassembly of side walls

Snap fasteners on the side walls allow for their disassembly. **Locks and keys are included.**

Extralink has accessories for its cabinet series, you can find in our range:

- shelves, enclosures, cable organisers
- cooling accessories, ventilation panels, thermostats
- assembly aids



Easy cable routing

The lower panel has as many as **5 culverts** to pull out the cables, thus reducing the risk of squeezing or tangling.

NETWORK CABINET 22HE

Removable side panels for easy maintenance



Front and rear doors



Adjustable cable entry dimensions for top cover and base plate



Side panel and front door key lock



Front door with small tempered glass lock



Adjustable feet, durable castors



Door can be opened to the left and right

Ceiling with ventilation hole

On the ceiling of the cabinet, apart from the ventilation outlet, there are additional **2 culverts** for cable extraction.

Zadaniem szaf sieciowych jest zabezpieczenie sprzętu i zagwarantowanie stabilnego funkcjonowania oraz utrzymanie porządku w każdej sferze



Features

- Front and rear doors
- Tempered glass front door with small lock
- Can be opened to the left or right side
- Excellent design, precise dimensions, careful workmanship
- Adjustable feet and heavy duty casters are available simultaneously
- Cable entry for top cover and bottom plate with adjustable dimensions
- Body connection with the bayonet
- Removable side panels for easy maintenance