



Extralink 42U 600x1000 Black | Rackmount cabinet | standing



link to the product:

<https://www.batna24.com/gb/p/rack-cabinets/extralink-42u-600x1000-black-rackmount-cabinet-standing>

Price: **2,099.00 zł** gross / 1,706.50 zł net

Manufacturer: EXTRALINK



Referention number: DNXFMLNERRMMKM

Information:

The Extralink 42U freestanding rack cabinet with dimensions of 600 × 1000 mm is a robust solution for offices, server rooms and CCTV systems. Made of cold-rolled steel, it is equipped with front tempered glass doors that can be opened to the left or right, as well as rear doors. Marked vertical rails make equipment installation easier, and the 42U height provides plenty of installation space. Removable side panels, locks with keys, adjustable feet and heavy-duty castors increase ease of use. The cabinet also offers 8 cable entries in the bottom panel, an additional 2 at the top, and a ventilation outlet for better cable management and cooling.

Product features

Height	2000 mm
Width	600 mm
Depth	1000 mm
Key lock	Yes
Rack rails	Yes
IFU / User manual	Yes
Material	Steel
Colour	Black
Rack capacity	42U
Maximum weight	1500 kg
Size (imperial)	19 "
Adjustable feet	Yes
Side panel key lock	Yes

Front door key lock	Yes
Back door key lock	No
Removable side panels	Yes
Removable front door	Yes
Removable back door	No
Front door construction	Glass
Back door construction	Metal
Product colour	Black
Frame type	Closed
Type	Freestanding rack

Full product description

EXTRALINK 42U rack cabinet, 600x1000, standing

The **Extralink** rack cabinet is designed for offices, network server rooms and CCTV control rooms. The external walls are made of cold rolled steel sheet, while the front door has a tempered glass pane with the possibility of opening to the left or right side.

Extralink network cabinet 42HE

upright installation



The network cupboard is designed in offices, network servers and CCTV control rooms.



The outer walls are made of cold-rolled sheet steel.



Fitted with tempered glass, the front door may be opened to the left or right.



Clearly marked cabinet height

Vertical rails have the appropriate height marking, which is as high as **42U (unit)**, which provides sufficient space for the installation of many devices for our infrastructure. The total height of the cabinet is **199 cm**.

NETWORK CUPBOARD

floor standing

42U 19"

Maximum
weight



2000mm

1000mm

600mm

Easy removal of side walls

Snap fasteners on the side walls allow for their disassembly. **Locks and keys are included.**

NETWORK CABINET 42HE

Removable side panels for easy maintenance



Front and rear doors



Adjustable cable entry dimensions for top cover and base plate



Front door key lock



Front door with small tempered glass lock



Adjustable feet, durable castors



Door can be opened to the left and right

Easy cable routing

The lower panel has as many as **8 conduits** to pull out the cables, thus reducing the risk of squeezing or tangling them.

The task of network enclosures is to protect equipment and guarantee stable functioning and maintain order in every sphere.



Ceiling with ventilation outlet and additional cable ducts

On the ceiling of the cabinet, apart from the ventilation outlet, there are additional **2 culverts** for cable extraction.

Extralink has accessories for its cabinet series, you can find in our range:

- shelves, enclosures, cable organisers
- cooling accessories, ventilation panels, thermostats
- assembly aids



Features

- Front and rear doors
- Tempered glass front door with small lock
- Reversible right or left hand door
- Excellent design, precise dimensions, careful workmanship
- Adjustable feet and heavy duty casters are available simultaneously
- Cable entry for top cover and bottom plate with adjustable dimensions
- Efficient and reliable body connection with the baying kit
- Removable side panels for easy maintenance