



Extralink 42U 800x1000 Black | Rackmount cabinet | standing



link to the product:

<https://www.batna24.com/gb/p/rack-cabinets/extralink-42u-800x1000-black-rackmount-cabinet-standing>

Price: **2,699.00 zł** gross / 2,194.31 zł net

Manufacturer: EXTRALINK



Referention number: DNXGFNKSJRMMP0

Information:

The standing EXTRALINK 42U rack cabinet with dimensions of 800 × 1000 mm is a robust solution for offices, server rooms and CCTV installations. Made of cold-rolled steel, it ensures durability and the safety of the mounted equipment. The front tempered glass door can be opened to the left or right, and the removable side panels make servicing easier. The cabinet has clearly marked height, adjustable feet and heavy-duty castors, as well as numerous cable entry points at the top and bottom and a ventilation opening for better cable management and cooling.

Product features

Height	2000 mm
Width	800 mm
Depth	1000 mm
Key lock	Yes
Rack rails	Yes
IFU / User manual	Yes
Material	Steel
Colour	Black
Rack capacity	42U
Maximum weight	1500 kg
Size (imperial)	19 "
Castor wheels	Yes
Soundproof	No
Adjustable feet	Yes

Side panel key lock	Yes
Front door key lock	Yes
Back door key lock	No
Side panels included	Yes
Removable side panels	Yes
Removable front door	No
Removable back door	Yes
Front door construction	Glass
Back door construction	Metal
Product colour	Black
Frame type	Closed
Type	Freestanding rack

Full product description

EXTRALINK 42U rack cabinet, 800x1000, standing

The Extralink rack cabinet is designed for offices, network server rooms and CCTV control rooms. The external walls are made of cold-rolled steel sheet, while the front door has a tempered glass pane with the possibility of opening to the left or right side.

Extralink network cabinet 42HE

upright installation



The network cupboard is designed in offices, network servers and CCTV control rooms.



The outer walls are made of cold-rolled sheet steel.



Fitted with tempered glass, the front door may be opened to the left or right.



Clearly marked cabinet height

Vertical rails have the appropriate height marking, which is as high as **42U (unit)**, which provides sufficient space for the installation of many devices for our infrastructure. The total height of the cabinet is **199 cm**.

NETWORK CUPBOARD

floor standing

42U 19"

Maximum
weight



2000mm

1000mm

800mm

Easy removal of side walls

Snap fasteners on the side walls allow for their disassembly. **Locks and keys are included.**

Extralink has accessories for its cabinet series, you can find in our range:

- shelves, enclosures, cable organisers
- cooling accessories, ventilation panels, thermostats
- assembly aids



Easy cable routing

The lower panel has as many as **8 conduits** to pull out the cables, thus reducing the risk of squeezing or tangling.

NETWORK CABINET 42HE

Removable side panels for easy maintenance



Front and rear doors



Adjustable cable entry dimensions for top cover and base plate



Front door key lock



Front door with small tempered glass lock



Adjustable feet, durable castors



Door can be opened to the left and right

Ceiling with ventilation outlet and additional cable ducts

On the ceiling of the cabinet, apart from the ventilation outlet, there are additional **2 culverts** for cable extraction.

The task of network enclosures is to protect equipment and guarantee stable functioning and maintain order in every sphere.



Features

- Front and rear doors
- Tempered glass front door with small lock
- Reversible right or left hand door
- Excellent design, precise dimensions, careful workmanship
- Adjustable feet and heavy duty casters are available simultaneously
- Cable entry for top cover and bottom plate with adjustable dimensions
- Efficient and reliable body connection with the baying kit
- Removable side panels for easy maintenance