



Extralink 42U 800x800 Black | Rackmount cabinet | standing



link to the product:

<https://www.batna24.com/gb/p/rack-cabinets/extralink-42u-800x800-black-rackmount-cabinet-standing>

Price: **2,599.00 zł** gross / 2,113.01 zł net

Manufacturer: EXTRALINK



Referention number: DNXGFNKSIRMMOP

Information:

The standing EXTRALINK 42U 800×800 rack cabinet is a robust solution for offices, server rooms and CCTV installations. Made of cold-rolled steel, it ensures durability and the safety of equipment. The front doors made of tempered glass can be opened from the left or right, and the removable side panels make servicing easier. The 42U height and 199 cm provide plenty of space for mounting devices. The cabinet offers convenient cable management thanks to 8 cable entry points in the bottom panel and 2 additional ones at the top, while the ventilation outlet supports cooling. Adjustable feet and heavy-duty castors make positioning and transport easier.

Product features

Height	2000 mm
Width	800 mm
Depth	800 mm
Built-in UPS	No
Assembly required	Yes
Cooling type	Passive
Key lock	Yes
Rack rails	Yes
Material	Glass
Colour	Black
Rack capacity	42U
Maximum weight	1400 kg
Size (imperial)	19 "

Preassembled	No
Castor wheels	Yes
Stabilising foot screw	Yes
Side panel key lock	Yes
Front door key lock	Yes
Back door key lock	Yes
Side panels included	Yes
Removable side panels	Yes
Removable front door	Yes
Removable back door	Yes
Side panel construction	Metal
Front door construction	Glass
Back door construction	Metal
Product colour	Black
Frame type	Open
Type	Freestanding rack

Full product description

EXTRALINK 42U rack, 800x800, standing

The Extralink rack cabinet is designed for offices, network server rooms and CCTV control rooms. The external walls are made of cold-rolled steel sheet, while the front door has a tempered glass pane with the possibility of opening to the left or right side.

Extralink network cabinet 42HE

upright installation



The network cupboard is designed in offices, network servers and CCTV control rooms.



The outer walls are made of cold-rolled sheet steel.



Fitted with tempered glass, the front door may be opened to the left or right.



Clearly marked cabinet height

Vertical rails have the appropriate height marking, which is as high as **42U (unit)**, which provides sufficient space for the installation of many devices for our infrastructure. The total height of the cabinet is **199 cm**.

NETWORK CUPBOARD

floor standing

42U 19"

Maximum
weight



2000mm

800mm

800mm

Easy removal of side walls

Snap fasteners on the side walls allow for their disassembly. **Locks and keys are included.**

Extralink has accessories for its cabinet series, you can find in our range:

- shelves, enclosures, cable organisers
- cooling accessories, ventilation panels, thermostats
- assembly aids



Easy cable routing

The lower panel has as many as **8 conduits** to pull out the cables, thus reducing the risk of squeezing or tangling.

NETWORK CABINET 42HE

Removable side panels for easy maintenance



Front and rear doors



Adjustable cable entry dimensions for top cover and base plate



Front door key lock



Front door with small tempered glass lock



Adjustable feet, durable castors



Door can be opened to the left and right

Ceiling with ventilation outlet and additional cable ducts

On the ceiling of the cabinet, apart from the ventilation outlet, there are additional **2 culverts** for cable extraction.

The task of network enclosures is to protect equipment and guarantee stable functioning and maintain order in every sphere.



Features

- Front and rear doors
- Tempered glass front door with small lock
- Reversible right or left hand door
- Excellent design, precise dimensions, careful workmanship
- Adjustable feet and heavy duty casters are available simultaneously
- Cable entry for top cover and bottom plate with adjustable dimensions
- Efficient and reliable body connection with the baying kit
- Removable side panels for easy maintenance