



Extralink 9U 600x600 AZH Black | Rackmount cabinet | wall mounted, swing type



link to the product:

<https://www.batna24.com/gb/p/rack-cabinets/extralink-9u-600x600-azh-black-rackmount-cabinet-wall-mounted-swing-type>

Price: **519.00 zł** gross / 421.95 zł net

Manufacturer: EXTRALINK



Referention number: DNXGFMPKRRMMNQ

Information:

The EXTRALINK AZH 9U rack cabinet, measuring 600 × 600, is the perfect solution for wall mounting in offices, server rooms, and CCTV environments. Made from cold-rolled steel, it features tempered glass doors that can open to the left or right, facilitating easy access to the interior. The two-section design allows for straightforward access to installed components. The cabinet is marked with a height of 9U and has an overall height of 50.5 cm. Removable side panels and locks with keys included enhance its functionality. The upper section includes spaces for fans and cable management openings. This cabinet offers standard 19" mounting, is easy to transport and assemble independently, thereby reducing shipping costs. It is a robust, reliable construction that ensures effective cooling and tidy cable management.

Product features

Height	750 mm
Width	600 mm
Depth	600 mm
Cooling type	Passive
Key lock	Yes
Rack rails	Yes
Material	Metal
Colour	Black
Package depth	540 mm
Package height	260 mm
Package width	640 mm
Rack capacity	9U

Maximum weight	60 kg
Size (imperial)	19 "
Screws included	Yes
Nuts included	Yes
Soundproof	No
Side panel key lock	Yes
Front door key lock	Yes
Back door key lock	No
Side panels included	Yes
Removable side panels	Yes
Removable front door	Yes
Removable back door	No
Side panel construction	Metal
Front door construction	Glass
Back door construction	Metal
Product colour	Black
Frame type	Closed
Type	Wall mounted rack

Full product description

EXTRALINK rack cabinet AZH, 9U, 600x600, two-sectional

The Extralink cabinet is designed for wall mounting in offices, network server rooms and control rooms of CCTV installations. The external walls are made of cold-rolled steel sheet, while the front door has a tempered glass pane that can be opened to the left or right. Two-section construction facilitates access to the installed components from the back.

HOME NETWORK UNDER CONTROL

order begins with organisation



Clearly marked height

Vertical rails have a corresponding height designation, which is **9U (unit)**. The total height of the cabinet is **50.5 cm**.



Easy removal of side walls

Snap fasteners on the side walls allow for their disassembly. **Locks and keys are included.**

Professional locking rack cabinet



Protection, order and
aesthetics in one.
Perfect for organising
home spaces, offices and
server rooms.

Fan-installed ceiling

On the ceiling of the cabinet there are **2 places to install fans** for better cooling of the devices, as well as **2 additional passages** for pulling out cables.


EASY ASSEMBLY IN JUST A FEW MINUTES

Thanks to clear instructions and a complete set of screws, assembling the cabinet is quick and intuitive.

You can easily do it yourself – no need to call a technician!



Cabinet construction - drawing



- A – Ściana dolna, spód
- B – Ściana tylnia
- C – Ścianki boczne, wypinane
- D – Górna pokrywa
- E – Otwór na kable
- F – Rama

Features

- Standard 19" mounting, welded frame, reliable design
- The frame construction is prepared for self-assembly, which facilitates transport and saves shipping costs
- Standing/Wall Mounting
- Easy installation (patent)
- Removable side panels
- Holes for cable entry, both on the top cover and on the bottom panel
- Tempered glass front door, swivel angle exceeding 180 degrees
- Two-sectional construction

Welded
frame



Two built-in
cooling vents



Removable
side panels





Lockable tempered
glass door



Large selection of Extralink server racks

Adapt the cupboard to your needs!





Opening doors at the front and rear of the server cupboard will allow easy access to all devices