



Extralink 9U 600x600 AZH Gray | Rackmount cabinet | wall mounted, swing type



link to the product:

<https://www.batna24.com/gb/p/rack-cabinets/extralink-9u-600x600-azh-gray-rackmount-cabinet-wall-mounted-swing-type>

Price: **499.00 zł** gross / 405.69 zł net

Manufacturer: EXTRALINK



Referention number: DNXGFMPLLRMMOP

Information:

The Extralink AZH 9U 600×600 two-section rack cabinet is a solid 19" mounting solution for offices, server rooms and CCTV installations. Made of cold-rolled steel, it features a welded, reliable construction and front doors made of tempered glass, which can be opened to the left or right and swing open beyond 180°. The two-section design provides convenient rear access to the equipment, while the removable side panels make servicing easier. The cabinet can be wall-mounted or used as a floor-standing unit, and the 9U marking and 50,5 cm height ensure clear equipment organisation. The top is prepared for 2 fans and additional cable entry points, while cable openings are also located at the top and bottom.

Product features

Height	750 mm
Width	600 mm
Depth	600 mm
Cooling type	Passive
Key lock	Yes
Rack rails	Yes
Material	Glass
Colour	Gray
Package depth	540 mm
Package height	260 mm
Package width	640 mm
Rack capacity	9U

Maximum weight	60 kg
Size (imperial)	19 "
Side panel key lock	Yes
Front door key lock	Yes
Back door key lock	No
Side panels included	Yes
Removable side panels	Yes
Removable front door	Yes
Removable back door	No
Side panel construction	Metal
Front door construction	Glass
Back door construction	Metal
Product colour	Grey
Frame type	Open
Type	Wall mounted rack

Full product description

EXTRALINK rack cabinet AZH, 9U, 600x600, two-sectional

The Extralink rack cabinet is designed for wall mounting in offices, network server rooms and control rooms of CCTV installations. The external walls are made of cold-rolled steel sheet, while the front door has a tempered glass pane with the possibility of opening to the left or right side. Two-section construction facilitates access to the installed components from the back.

HOME NETWORK UNDER CONTROL

order begins with organisation



Clearly marked cabinet height

Vertical rails have a corresponding height designation, which is **9U (unit)**. The total height of the cabinet is **50.5 cm**.



Easy removal of side walls

Snap fasteners on the side walls allow for their disassembly. **Locks and keys are included.**

Professional locking rack cabinet



Protection, order and
aesthetics in one.
Perfect for organising
home spaces, offices and
server rooms.

Fan-installed ceiling

On the ceiling of the cabinet there are **2 places to install fans** for better cooling of the devices, as well as **2 additional passages** for pulling out cables.

EASY ASSEMBLY IN JUST A FEW MINUTES

Thanks to clear instructions and a complete set of screws, assembling the cabinet is quick and intuitive.

You can easily do it yourself – no need to call a technician!



Cabinet construction - drawing



- A – Ściana dolna, spód
- B – Ściana tylnia
- C – Ścianki boczne, wypinane
- D – Górna pokrywa
- E – Otwór na kable
- F – Rama

Features

- Standard 19" mounting, welded frame, reliable design
- The frame construction is prepared for self-assembly, which facilitates transport and saves shipping costs
- Standing/Wall Mounting
- Easy installation (patent)
- Removable side panels
- Holes for cable entry, both on the top cover and on the bottom panel
- Tempered glass front door, swivel angle exceeding 180 degrees
- Two-sectional construction

Welded
frame



Two built-in
cooling vents



Removable
side panels





Lockable tempered
glass door



Large selection of Extralink server racks

Adapt the cupboard to your needs!





Opening doors at the front and rear of the server cupboard will allow easy access to all devices