



Extralink ARES | PoE Switch | 16x Gigabit PoE/PoE+, 2x SFP, 1x Console, 150W, Managed



link to the product:

<https://www.batna24.com/gb/p/switches/extralink-ares-poe-switch-16x-gigabit-poe-po-e-2x-sfp-1x-console-150w-managed>

Price: **777.18 zł** gross / 631.85 zł net

Manufacturer: EXTRALINK



Referention number: DNXFLNLQKRMNIK

Product features

Power source	mains electricity
Height	44 mm
Width	440 mm
Depth	180 mm
Auto-negotiation	Yes
Rack mounting	Yes
Temperature sensor	No
Switching capacity	36 Gb/s
Quick start guide	Yes
Networking standards	IEEE 802.1D
Switch type	Managed
10G support	No
Loop protection	Yes
IFU / User manual	Yes
Auto-sensing	Yes
Total Power over Ethernet (PoE) budget	150 W
User guide	Yes
Reset button	Yes
Cloud-managed	No
IGMP snooping	Yes

Web-based management	Yes
Flow control support	Yes
Jumbo frames support	Yes
MAC address table	8000 entries
Power supply included	Yes
Power over Ethernet (PoE) ports quantity	16
Power over Ethernet (PoE)	Yes
SFP module slots quantity	2
AC input frequency	50 Hz
AC input voltage	100 V
Power over Ethernet (PoE) power per port	46 W
Power over Ethernet (PoE) voltage	48 V
Power over Ethernet plus (PoE+) ports quantity	16
Cable types supported	Cat5e
DHCP features	DHCP snooping
Power over Ethernet (PoE) pass through	No
Store-and-forward	Yes
Switching optical modules type	Gigabit Ethernet
Product colour	Black
Switch layer	L2+
Access Control List (ACL)	Yes
Multicast support	Yes
Basic switching RJ-45 Ethernet ports type	Gigabit Ethernet (10/100/1000)
Watch case material	Metal
Basic switching RJ-45 Ethernet ports quantity	16
Stackable	No

Full product description

Extralink ARES - fully manageable, gigabit, 16-port switch

Extralink ARES is an Ethernet POE switch with 16 Gigabit Base-T and 2 Gigabit optical ports (1 console port, 16 Gigabit POE ports, 2 Gigabit SFP ports, standard 220 V AC power supply, 330 W POE power, cooling fan, 1U, 19" rackmountable).



16-port Gigabit PoE switch



2x SFP



1 Console port



Total PoE power
150W



Layer2
switching layer



Fully manageable
(WEB interface, CLI)



Features:

- Possibility of installation in a crawler cabinet - we recommend Extralink cabinets
- It has a cooling fan
- Modern, minimalist design



Installation in network cabinets possible

The switch is designed for installation in a network cabinet and takes up 1 unit (1U) in a standard-height network cabinet. The switch fits easily into most standard cabinets.

Connect to a new world of speed with our Switch

