



Extralink BS-PCD050 32A 16kW | Three-phase Portable EV Charger With LCD Touch Screen | 6 adaptors, 5m length, Schuko




5 905090 331872 >

link to the product:

<https://www.batna24.com/gb/p/ev-chargers/extralink-bs-pcd050-32a-16kw-three-phase-portable-ev-charger-with-lcd-touch-screen-6-adaptors-5m-length-schuko>

Price: **2,989.99 zł** gross / 2,430.89 zł net

Manufacturer: EXTRALINK



Referention number: DNXGGKMJHRMMGP

Product features

Regulatory Approvals	CE, ROHS, FCC, CCC, CSA, IK10, IP67
Charging cable length	5 m
Humidity measurement range	5 - 95%
Touchscreen	No
IK code	IK10+
Operating temperature (T-T)	-40 - 70 °C
Number of connectors	5
Output current	24 A
International Protection (IP) code	IP66
Wi-Fi	No
Bluetooth	No
Display type	LCD
AC input frequency	50 Hz
AC input voltage	230 V
Charging voltage	230 V
Power plug	Type 2
Suitable for	Outdoor
Output power	16.5 kW
Product colour	Black

Full product description

16kW Three-Phase Portable EV Charger With LCD Touch Screen and 6 adaptors from Extralink

Introducing our Extralink portable 3-phase EV charger with a maximum power output of 16 kW, ideal for EV drivers who are always on the go. This charger is **compact and easy to carry**, making it the perfect accessory for road trips, camping adventures and any other outdoor activity. The portable EV charger is designed to work with most EV models and has a **built-in touchscreen display** showing charging progress so you can constantly monitor it.



Key features of the Extralink 16kW Three-Phase Portable EV Charger With LCD Touch Screen

- 220V 32A 1 phase/24A 3 phase
- Color touch screen display
- Degree of protection IP66
- Protection against overheating
- Type A + 6mA residual current protection
- Intelligent circuit for automatic fault repair
- Compact size
- Type 2 cable 5m long
- Set of 6 adapters

Touchscreen LCD display

Equipped with a sleek LCD touchscreen display, our EV charger displays real-time information about the charging status, including the time remaining to full charge.



Residual current protection RCD Type A 6mA

The product is equipped with RCD type A 6mA residual current protection, which meets the latest EU safety standards.



Temperature monitoring

Monitor the operating temperature of the charger at all times. When the charger exceeds the safe temperature, it will stop working immediately, and the charging system can be automatically resumed when the temperature returns to normal.

Chip automatically fixes errors

The smart chip can automatically fix common charging errors to ensure stable operation.



Full certification

The product has passed all relevant certifications in Europe and North America, ensuring that the product can be sold and used with complete confidence.



Degree of protection IP66

The EV portable charger is **IP66-rated**, which means it is dustproof and can withstand strong jets of water from any direction without damage. This makes it ideal for use in outdoor environments where **it may be exposed to rain, dirt or other contaminants**. The robust construction and advanced waterproofing of our portable EV charger ensure that it can withstand even the harshest conditions and still perform reliably.

