



Extralink EGH-7000 | Power generator | hybrid, 7kW




link to the product:

<https://www.batna24.com/gb/p/generators/extralink-egh-7000-power-generator-hybrid-7kw>

Price: **6,500.00 zł** gross / 5,284.55 zł net

Manufacturer: EXTRALINK



Referention number: DNXGGKHSDRMMGQ

Information:

Extralink EGH-7000 is a reliable hybrid generator running on CNG, LPG or petrol, ideal for home, work and camping. It offers a maximum output of 7500 W and a rated output of 7000 W, and at full load it can run for up to 11 hours thanks to the 25 l tank. Equipped with a durable, single-cylinder 4-stroke OHV 459 cm³ engine with copper winding, manual start, two 230 V sockets and 3 phases. A solid steel frame, wheels and handles make transport easier, while overload and low oil level protection increase safety. Running on gas means lower costs, lower exhaust emissions and easier operation.

Product features

Rated current	8.3 A
Number of strokes	4
Number of cylinders	1
Frame material	Metal
Rated power	7000 W
Rated frequency	50 Hz
Engine displacement	459 cm ³
Engine power	18 hp
Package weight	95000 g
Cooling type	Air
Package depth	555 mm
Package height	565 mm
Package width	710 mm

Maximum power	7500 W
Castor wheels	Yes
Rated voltage	220 V
Fuel tank material	Steel
Number of batteries supported	1
Fuel consumption	2 l/h
Product colour	Black
Fuel type	Petrol
Ignition system	Manual/Electronic
Rated DC voltage	12 V
Inverter technology	Yes
Product weight	92000 g

Full product description


Your reliable power source in the event of a power outage

Specially designed to be one of the most valuable tools at home or work. **With a power output of 7kW, lack of electricity will no longer be a problem.** Hybrid generators **(CNG/LPG/petrol)** are ideal for powering a variety of equipment, at the campsite or at home. With a maximum output of 7,500W and a rated output of 7,000W, this generator **runs for up to 11 hours** at 100% load! **The Extralink EGH-7000 hybrid generator** will become your reliable power source in case of power outages.



The image shows an orange and black Extralink EGH-7000 Hybrid Generator set on a black metal frame with a single wheel. A grey power cable is plugged into the red AC230V outlet. The generator has a control panel with a voltmeter, circuit breaker, and engine start switch. A red fuel tank is shown in a circular inset above the generator.

FUEL TYPE


-  Petrol
-  LPG
-  CNG

Tank capacity
25L

Oil tank capacity
1.1L

Fuel consumption
2L/h

Key features of the Extralink EGH-7000 generator set



Generator with 4-stroke gasoline engine

The **Extralink EGH-7000 hybrid generator set (gasoline, LPG, CNG)** is equipped with a compact **4-stroke OHV engine** with a capacity of 459 cm³. There are **two standard 230-volt outlets** on the control panel. The easy start system allows the engine to start quickly and with little effort.

GENERATOR **EGH-7000**



Maximum power
7500W



Rated output
7000W




Good quality
AVR



Operating time
11h



100%
copper generator



3 phase



Single-cylinder
4-stroke engine



Larger fuel tank for extended run time

Extralink hybrid generators are equipped with an enlarged steel fuel tank, which increases the operating time of the generators without refueling. The **genset is capable of continuous operation for up to 11 hours**. The lower the power, the longer the continuous operation time of the genset will be.

Robust design and easy transportation

The **hybrid engine generator** is equipped with a sturdy steel frame, which serves to protect the generator from various types of damage. Sturdy wheels and sturdy handles make it easy to transport the Extralink gasoline generator.

Generator **EGH-7000**

Robust wheels and sturdy handles allow the generator to be easily transported



710mm

555mm

565mm

Fail-safe features

The **Extralink EGH-7000 hybrid generator** is equipped with a protection system that will prevent failures and stop the hybrid generator in case of overload. In addition, the protection system will not allow the engine to start when the oil level drops

PROTECTION AGAINST FAILURES

The Extralink EGH-7000 hybrid generator is equipped with a protection system that will prevent failures and stop the hybrid generator in the event of an overload. In addition, the protection system will not allow the engine to start if the oil level drops.



Start-up procedure (hybrid generator)

Advantages of using gas as a fuel

	Benzynowe		Hybrydowe (LPG, CNG, Benzyna)		
Kod produktu	EGP-3000	EGP-5500	EGH-3000	EGH-5500	EGH-7000
EAN	5905090330349	5905090330356	5905090330363	5905090330370	5905090330714
Kod 1	EX.30349	EX.30356	EX.30363	EX.30370	EX.30714
Zdjęcie poglądowe					
Model generatora:	Benzynowe	Benzynowe	Hybrid(CNG/LPG/benzyna)	Hybrid(CNG/LPG/benzyna)	Hybrid(CNG/LPG/benzyna)
Znamionowa moc wyjściowa:	2.8KW	5.0KW	2.8KW	5.0KW	7.0KW
Maksymalna moc wyjściowa:	3.0KW	5.5KW	3.0KW	5.5KW	7.5KW
Znamionowe napięcie wyjściowe:	220V~	220V~	220V~	220V~	220V~
Częstotliwość:	50Hz	50Hz	50Hz	50Hz	50Hz
Faza:	1 faza	3 fazy	1 faza	3 fazy	3 fazy
Silnik:	170F	188F	170F	188F	192F
Rozmiar uzwojenia:	160*120mm	190*140mm	160*120mm	190*140mm	
Typ silnika:	1-cylinder, 4-suw, chłodzony powietrzem	1-cylinder, 4-suw, chłodzony powietrzem	1-cylinder, 4-suw, chłodzony powietrzem	1-cylinder, 4-suw, chłodzony powietrzem	1-cylinder, 4-suw, chłodzony powietrzem
Przemieszczenie:	210CC	389CC	210CC	389CC	459CC
Maksymalna wydajność:	7HP/3000obr/min	13HP/3000obr/min	7HP/3000obr/min	13HP/3000obr/min	18HP/3000obr/min
Średnica x skok:	70x54mm	88x64mm	70x54mm	88x64mm	92x69mm
Sytem zapłonu:	TCI	TCI	TCI	TCI	CDI
Pojemność baku:	15L	25L	15L	25L	25L
Zużycie paliwa:	395 g/kW.H	374 g/kW.H	395 g/kW.H	374 g/kW.H	2L/H
Ciągła godzina pracy:	11 godzin	11 godzin	11 godzin	11 godzin	11 godzin
Pojemność oleju:	0,6L	1,1L	0,6L	1,1L	1,1L
Hałas (7 metrów)	95dB	97dB	95dB	97dB	97dB
NW/GW	45/48KG	81/83KG	45/48KG	81/83KG	92KG
Wymiar pakowania:	605x440x440mm	690x525x550mm	605x440x440mm	690x525x550mm	710x555x565mm
System startowy:	ręczny	ręczny/elektryczny	ręczny	ręczny/elektryczny	ręczny/elektryczny