



Extralink Elena | Fiber optic distribution box | 16 core, white



link to the product:

<https://www.batna24.com/gb/p/enclosures-splices-boxes/extralink-elena-fiber-optic-distribution-box-16-core-white>

Price: **27.06 zł** gross / 22.00 zł net

Manufacturer: EXTRALINK



Referention number: DNXFMKHNLRMMMO

Product features

Height	235 mm
Wall mountable	Yes
Width	315 mm
Depth	100 mm
Number of fibres supported (max)	16
Number of splice trays supported (max)	16
Mast mountable	Yes
Product colour	White
Watch case material	Acrylonitrile butadiene styrene (ABS)
Product weight	1300 g

Full product description

Extralink ELENA 16 CORE - white fibre optic box

Extralink ELENA 16 CORE is a lockable **fibre optic locker** that allows the connection of 16 fibers placed in a robust, robust SMC housing. It is prepared for outdoor and independent applications. Thanks to the possibility of using **adapters type SC simplex and LC duplex**, the end user receives a flexible solution - the possibility of using a multifunctional housing. It facilitates access during installation without disturbing existing cable or fibers. In addition to the interchangeable adapters, the housing also offers a sealed buffer, pre-terminated and steel tape-reinforced cables. Each box has integrated mounting positions and a removable bending radius protection.



Features:


- 16 fibres can be installed
- Removable connection tray for easy installation
- Many adaptor options are available
- It accepts, among other things, distribution cables and cables with pre-clamps
- Protection against bending radius
- Removable door for easy installation
- Can supplied with 16 heat shrink welds and other components




Application:

- Data centres, premises installations, telecommunications networks
- Ethernet, fiber channel, ATM, LAN, MAN and WAN

- ICT and telecommunications networks
- Wall/post mounting
- Internal and external use



Dimensions:





A – 315 mm

B – 235 mm

C – 100 mm


Cable system:





1. Pokrywka
2. Płaszcz blokujący
3. Zamek
4. Uszczelka
5. Płyta z klapą łączącą
6. Uchwyt adaptera
7. Adapter
8. Wspornik łącznika pokrywki z zamkiem błyskawicznym
9. Zacisk blokady pokrywki
10. Baza
11. Kabel wzmacniający warstwę nasypową
12. Wspólny (opcja)
13. Panel blokady
14. Położenie montażowe sterownika PLC
15. Utrwalacz

Wall-mounted installation:



Post installation:

